

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Inventors : K. NAKAYAMA et al.

Certificate of Correction Branch

Patent No. : 7,056,917 B2

Issued: June 6, 2006

Serial No. : 09/842,234

Filed: April 26, 2001

For : DRUG EFFLUX PUMP INHIBITOR

REQUEST FOR CERTIFICATE OF CORRECTION

Commissioner for Patents
U.S. Patent and Trademark Office
Customer Service Window
Randolph Building
401 Dulany Street
Alexandria, VA 22314

Sir:

Please find attached a proposed Certificate of Correction.

Please correct the following errors appearing in the printed patent. These errors are apparently the fault of the U.S. Patent and Trademark Office, as per the attached Certificate of Correction.

At column 138, line 62 (Claim 3, line 4) of the printed patent, after “thereof” should be -- -, or a hydrate thereof---. This appeared correctly on the Amendment Under C.F.R. 1.312 filed December 27, 2005; and

At column 138, lines 63-64 (Claim 4, lines 1-2) of the printed patent, after “composition” delete “for preventive and/or therapeutic treatment of a microbial infection,”. This appeared correctly on the Amendment Under C.F.R. 1.312 filed December 27, 2005.


Therefore, it is respectfully requested that a Certificate of Correction issue in the above-identified patent as follows:

At column 138, line 62 (Claim 3, line 4) of the printed patent, after “thereof” should be --
-, or a hydrate thereof---.

At column 138, lines 63-63 (Claim 4, lines 1-2) of the printed patent, after “composition”
delete “for preventive and/or therapeutic treatment of a microbial infection.”.

Should there be any questions, the Examiner is invited to contact the undersigned at the
below-listed number.

Respectfully submitted,
K. NAKAYAMA et al.



Bruce H. Bernstein
Reg. No. 29,027

June 11, 2007
GREENBLUM & BERNSTEIN, P.L.C.
1950 Roland Clarke Place
Reston, VA 20191
(703) 716-1191

Arnold Turk
Reg. No. 33094
Reg. No. 33094
Arnold Turk

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 ____ of

PATENT NO. : 7,056,917 B2
APPLICATION NO.: 09/842,234
ISSUE DATE : June 6, 2006
INVENTOR(S) : K. NAKAYAMA et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

At column 138, line 62 (Claim 3, line 4) of the printed patent, after "thereof" should be
---, or a hydrate thereof---

At column 138, lines 63-63 (Claim 4, lines 1-2) of the printed patent, after "composition" delete "for preventive and/or therapeutic treatment of a microbial infection,".

MAILING ADDRESS OF SENDER (Please do not use customer number below):
GREENBLUM & BERNSTEIN, P.L.C.
1950 Roland Clarke Place
Reston, VA 20191

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: **Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.